#### POWERPROTECT DX Standby Generators









12,20,26

kW

**Packed with innovation,** and built from the ground up to be ready for anything, our Power Protect<sup>®</sup> DX line of generators offer a solution for any home's power needs with the most post installation coverage. From our sleek, compact 12kW<sup>1</sup> to the industry's most powerful air-cooled generator at 26kW<sup>1</sup>, this line is also backed by the industry's leading dealer service network.

#### FEATURES



#### Warranty

10-Year limited warranty of parts, labor, and travel. The industry's most comprehensive warranty over time.<sup>2</sup>



#### 26kW Industry's most powerful

Worry-free backup power with the industry's most powerful air-cooled generator.



#### Highest rated 20kW<sup>1</sup> natural gas unit in class<sup>3</sup>

Designed to provide the most power in their class on natural gas installations.



#### **12kW Compact Size**

The smallest generator footprint in its class<sup>4</sup> allows for a low impact installation, perfect for small properties.



#### Commercial-Grade Vanguard<sup>®</sup> Engine

Powerful commercial-grade engine built in the USA for commercial applications providing quality clean power for electronics.



#### Weekly Test Mode

Default weekly exercise cycle for 16 seconds, executed at a low speed to save fuel and reduce noise.



#### **Flexible Installation & Maintenance**

Approved for installation as close as 18" to a building<sup>5</sup> with easy toolless panel removal for serviceability and maintenance (20kW & 26kW).



#### **Corrosion Resistant Enclosure & Base**

Automotive grade galvanneal to resist rust and powder-coated paint for years of protection against chips and abrasions.



#### Assembled and Engineered in USA

Briggs & Stratton generators are designed and assembled in the USA.<sup>6</sup>



#### **Compatible Power Management Systems**

Set your power priorities during an outage with Power Management, utilizing Symphony® II Power Management System or Amplify<sup>™</sup> Power Management.

### 12, 20, 26 kW

## **POWERPROTECT DX** Standby Generators

PPDX12	PPDX20	PPDX26	
040669	040657	040664	
12.0 / 10.8	20 / 20	26 / 24	
50 / 45	83.3 / 83.3	108.3 / 100	
120 / 240	120/240	120 / 240	1
60	100	125	6
	040669 12.0 / 10.8 50 / 45 120 / 240	040669 040657   12.0 / 10.8 20 / 20   50 / 45 83.3 / 83.3   120 / 240 120/240	040669 040657 040664   12.0 / 10.8 20 / 20 26 / 24   50 / 45 83.3 / 83.3 108.3 / 100   120 / 240 120 / 240 120 / 240

Engine	
Manufacturer	Vanguard®
Frequency Regulation Steady State	+/-1.0%
	and the second second

Sound Rating <sup>7</sup>	PPDX12	PPDX20	PPDX26
Low Idle Mode Sound	64 dBA	65 dBA	63 dBA
Normal Operating Sound <sup>7</sup>	70 dBA	68 dBA	65 dBA


Fuel Consumption <sup>8</sup>	PPDX12	PPDX20	PPDX26
No Load (BTU/hr)	NG - 66,000 / LP - 57,000	NG - 99,000 / LP - 100,000	NG - 122,000 / LP - 123,000
Half Load (BTU/hr)	NG - 117,000 / LP - 155,000	NG - 187,000 / LP - 208,000	NG - 206,000 / LP - 235,000
Full Load (BTU/hr)	NG - 172,000 / LP - 209,000	NG - 260,000 / LP - 338,000	NG - 323,000 / LP - 427,000

Available Accessories	PPDX12	PPDX20	PPDX26	
Oil Warmer	Standard	6840		
Cold Weather Kit	6567	N/A		
Maintenance Kit	6872	6872		
Fuel Regulator Warmer	6845			
Surge Protector	6631			
Amplify Gateway	6520			
UPS	6581			
InfoHubUniversal - Cellular	6574			
Gateway Range Extender	6839			


Product Dimensions	PPDX12	PPDX20	PPDX26	
Overall Dimensions (in / mm)	28.0 x 24.5 x 37.2 / 712 x 622 x 944	46.5 x 26.8 x 28.4 / 1181 x 681 x 721	46.5 x 26.8 x 28.4 / 1181 x 681 x 721	
Packaged Dimensions (in / mm)	39.0 x 33.5 x 45.0 / 991 x 851 x 1143	48.8 x 30.5 x 50.5 / 1240 x 775 x 1283	48.8 x 30.5 x 50.5 / 1240 x 775 x 1283	
Assembled Weight (lbs / kg)	361 / 164	435 / 200	540 / 245	
Packaged Weight (lbs / kg)	423 / 192	520 / 240	625 / 285	




#### 12kW (PPDX12)



#### 20kW & 26kW (PPDX20, PPDX26)





# 12, 20, 26

#### POWERPROTECT. DX Standby Generators







#### Most comprehensive warranty in the industry over time.<sup>3</sup>

You're covered for 10 years on parts, labor, and travel through the entire warranty period. This extended warranty is offered to every model in the Power Protect<sup>™</sup> DX lineup.

Air-Cooled DX Warranty Comparison	🧭 Mileage	🔀 Labor	<b>Parts</b>	🔛 Major Components
Briggs & Stratton — 10 years	10 years	10 years	10 years	10 years
Generac — 5 years	2 years	2 years	3 years	5 years
Kohler— 5 years	N/A	5 years	5 years	5 years
Cummins – 5 years	N/A	N/A	5 years	5 years

<sup>1</sup> This generator is rated in accordance with UL (Underwriters Laboratories) 2200 (stationary engine generator assemblies) and CSA (Canadian Standards Association) standard C22.2 No. 100-14 (motor and generators).

<sup>2</sup> See operator's manual or BRIGGSandSTRATTON.com for complete warranty details.

<sup>3</sup> On natural gas in its named class.

<sup>4</sup> 30% smaller footprint than competitors.

<sup>5</sup> The installation manual contains specific instructions related to generator placement in addition to NFPA 37, including the requirement that carbon

monoxide detectors be installed and maintained in your home or business.

6 Of global and U.S. parts.

<sup>7</sup> Per ISO 3744. Sound level measurement at other locations around generator may differ depending on installation, based on lowest microphone at 7m. Normal operation based on average household usage.

<sup>a</sup> Fuel consumption rates are estimated based on normal operating conditions. Generator operation may be greatly affected by elevation and the cycling operation of multiple electrical appliances — fuel flow rates may vary depending on these factors.

Briggs & Stratton has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice.

This standby generator is not for Prime Power applications.

Published June 2021. Please visit BRIGGSandSTRATTON.com for the latest information. BS1300 - 6/21 BRIGGS & STRATTON POST OFFICE BOX 702 MILWAUKEE, WI 53201 USA